



Town of Aberdeen

115 N. Poplar
P.O. Box 785
Aberdeen, NC 28315

Inspection Department

Phone: (910)944-7024
Fax: (910)944-7459

PLAN REVIEW SUBMISSION REQUIREMENTS

- A) Provide (1) one set of plans that, at a minimum, including the following:

Plans shall have designers name, address, phone number, signed and dated.

Draw plans to scale with sufficient clarity to indicate the nature and character of the work.

Plans shall include typical section thru pool showing detail.

Plan shall include typical longitudinal section showing pool depths, radius, slope break depths, etc...

Design statement (as applicable) showing conformance with Section AG101-AG10108 and ANSI/NSPI 3,4,5 and 6. (Also include ANSI/ASME A112.19.8M, ASME A112.19.17 ASTM F 1346-91)

- B) Plans shall provide anti entrapment piping schematics, at a minimum, the following:

Plan shall have design statement showing conformance with Section AG 106.

Plan shall include dual main drain and atmospheric relief system piping arrangement or a listed/tested valve system for the pool and (if applicable) separate system for spa.

- C) Provide site specific pool, spa and hot tub layout, minimum scale 1/8' = 1', showing drain location, pool depths, means of egress (ladders, stairs, swim-outs, etc...), skimmer location(s), return location(s), suction cleaner line location, equipment location, heater location, etc...
- D) Complete the attached "Residential Swimming Pool Safety Requirements" Affidavit.

INSPECTION PROCEDURES

- 1) Permitting / site plan / pool design
- 2) Steel Bonding at pool / equipment
- 3) Rough plumbing / rough electrical / building
- 4) Equipotential grid in place
- 5) Final (electrical, plumbing, building)